INTERNATIONAL SEARCH REPORT

International application No. PCT/AU2004/001577

A.	CLASSIFICATION OF SUBJECT MATTER			
Int. Cl. 7:	C12N 1/00, 1/20, 1/26, 1/38.			
According to	International Patent Classification (IPC) or to both n	national classification and IPC		
В.	FIELDS SBARCHED			
Minimum documentation searched (classification system followed by classification symbols) See Electronic databases				
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched See Electronic databases				
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPIDS, MedLine, CA, BIOSIS: chemostat, batch culture/bioreactor, bacterial/microbial pool/community/population, enrich/select, monitor. GOOGLE: Bioreactor/chemostat, monitor				
C. DOCUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where appr	opriate, of the relevant passages	Relevant to claim No.	
Х	Acha, V.; Meurens, M.; Naveau, H.; Agathos aliphatic chlorinated hydrocarbons in a fixed monitoring via an attenuated total reflection-Science and Technology (1999), 40(8), 41-47	-bed bioreactor: continuous on-line Fourier transform infrared sensor. Water	1-25	
X .	Stuart S L; Woods S L. Kinetic evidence for pentachlorophenol-dependent growth of a dehalogenating population in a pentachlorophenol- and acetate-fed methanogenic culture. Biotech and Bioeng, 1998. 57(4): 420-429.			
х	X Bellco CellTrol II Control Modules http://www.bellcoglass.com/us/7803-81102.shtml. 31 August 2003 http://www.archive.org/ used to establish the publication date of the document			
X F	further documents are listed in the continuation	of Box C See patent family ann	ex	
* Special categories of cited documents: "A" document defining the general state of fire art which is "T" later document published after the international filing date or priority date and not in considered to be of particular relevance conflict with the application but cited to understand the principle or theory underlying the invention				
"E" earlier application or patent but published on or after the "X" docu international filing date or ca		ument of particular relevance; the claimed invention cannot be considered novel annot be considered to involve an inventive step when the document is taken		
"L" document which may throw doubts on priority claim(s) "Y" document of particular relevance; the claimed invention cannot be considered or which is cited to establish the publication date of involve an inventive step when the document is combined with one or more of another citation or other special reason (as specified) such documents, such combination being obvious to a person skilled in the another citation or other special reason (as specified)			one or more other	
HOH days a factor to an and displaying use outsition		sument member of the same patent family		
"P" document published prior to the international filing date but later than the priority date claimed				
Date of the actual completion of the international search		Date of mailing of the international search report . 28 FEB 2005		
10 February 2005 Name and mailing address of the ISA/AU		Authorized officer	·	
AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA Gillian Allen				
B-mail address: pct@ipaustralia.gov.au Becsimile No. (02) 6285 3929		Telephone No.: (02) 6283 2266		

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU2004/001577

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT			
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	
х	BioNet Utility Tower (Single, Dual, or Quad) http://www.broadleyjames.com/bionet-tower.html. 2 October 2003 http://www.archive.org/ used to establish the publication date of the document	1-25	
	,		
		į	
·	·		
	,		
	·		
		·	